



Mats

**Forever<sup>®</sup>**  
**Mats**

Performance That Never Fades

Milliken<sup>™</sup>





## Good looks, made to last and last and last

Forever mats are the most flexible, durable, and color-saturated mats available in the market today. Made with durable Solution Dyed Nylon 6,6, Forever mats will not lose their color or durability after exposure to bleach, soiling, or sunlight.

Our customers use them to absorb moisture in grocery stores, to collect dirt and oil in manufacturing facilities and garages, and to trap dust at the entrance of retail stores and restaurants. Now it's your turn to put them to the test for your business.

## Colors



Cabernet



Cheyenne Red




Coffee



Flagstone



Frontier Gray




Honeycomb



Oxford Gray



Spruce Green



Tuxedo Black



Windsor Blue





# Rubber Backing Options

Milliken invites you to select the backing that best suits your performance needs.

|  |   |                                       |
|--|---|---------------------------------------|
| <b>Standard backing nitrile rubber</b>             | Super gripper cleats and smooth backing | Available in 3', 4', 5' and 6' widths |
| <b>80 mil nitrile rubber</b>                       | Super gripper cleats and smooth backing | Available in 3' and 4' widths         |
| <b>100 mil nitrile rubber</b>                      | Smooth backing                          | Available in 3', 4' and 5' widths     |
| <b>MegaHold backing<br/>100 mil nitrile rubber</b> | Suction cup backing                     | Available in 3'x10', 4'x6' and 4'x8'  |

Please refer to the Backings Product Spec Sheet for detailed information.

## Technical Specifications

|   |  |                    |                                |                     |
|---|--|--------------------|--------------------------------|---------------------|
| Yarn type                                     | Twisted, Heat Set Nylon 6,6  |                    |                                |                     |
| Textile dyeing technology                     | Solution dyed  |                    |                                |                     |
| Textile weight                                | 19.0 oz/yd <sup>2</sup>  |                    |                                |                     |
| Total thickness                               | 0.31"  |                    |                                |                     |
| Total weight by size:                         | Sizes available in the US  | Weight: (+/- 1lbs) | Sizes available outside the US | Weight: (+/- 2 kgs) |
|   | 3'x4'  | 4.7 lbs            | 85cm x 115cm                   | 2.1kgs              |
|   | 3'x5'  | 6.0 lbs            | 85cm x 150 cm                  | 2.7kgs              |
|   | 4'x6'  | 9.3 lbs            | 115cm x 180cm                  | 4.2kgs              |
|   | 3'x10'   | 12.2 lbs           | 85cm x 300 cm                  | 5.5kgs              |
| Total mat dimensions:                         | Sizes available in the US  | Size: (+/- 2" )    | Sizes available outside the US | Size: (+/- 5 cm)    |
|   | 3'x4'  | 33.75" x 45.8"     | 85cm x 115 cm                  | 85cm x 115cm        |
|   | 3'x5'  | 33.75" x 57.6"     | 85cm x 150 cm                  | 85cm x 150cm        |
|   | 4'x6'  | 44.75" x 68.5"     | 115cm x 180cm                  | 115cm x 180cm       |
|   | 3'x10'   | 33.75" x 118.0"    | 85cm x 300 cm                  | 85cm x 300cm        |
| Antistatic                                    | Yes  |                    |                                |                     |
| Energized                                     | Yes  |                    |                                |                     |
| Fire resistance:<br>DOC FF1-70 and DOC 772-70 | Pass   |                    |                                |                     |
| Standard Rubber Backing                       | 5-Piece, 100% Nitrile, 83mil border thickness, 43 mil body thickness |                    |                                |                     |

All specifications are according to ISO 9001 Quality certification and ISO 14001 Environmental certification, and are subject to change to meet the ongoing improvements and innovation of our products.

The ultimate “get it and forget it” choice, Milliken Forever® mats lead the industry in durability. Challenge this mat — sunlight, dirt, bleach, countless industrial washes—and it looks as good as the day they were made.

Impervious to the kind of wear that leaves other mats looking faded and worn, Forever mats endure years abuse. Our colors remain vibrant and the non-skid rubber backing, flexible.

Small wonder the Forever mat has been a bestseller since its introduction in 1993. Contact us or your local dealer and we'll put Milliken mats to work for you.

### Milliken - Americas

920 Milliken Road Spartanburg  
South Carolina 29303

T: 1.800.342.5539

F: 706.880.5358

E: Renseignements: matsinfoamericas@milliken.com

E: Commandes: matsordersamericas@milliken.com

### Milliken - Europe, Africa, Middle East

Hilton Fold Lane

Middleton

M24 2HZ Manchester

United Kingdom

T: +44 1942 612999

F: +44 1942 612499

E: Renseignements: matsinfoeurope@milliken.com

E: Commandes: matsorderseurope@milliken.com

### Milliken - Asia, India, Australia, New Zealand

15th floor, Building 2, 1535 Hong Mei Road

Xuhui District, Shanghai,

China 200030

T: +86 21 61455555

F: +86 21 61 455558

Information: matsinfoasiapacific@milliken.com

Orders: matsordersasiapacific@milliken.com